

SAFETY DATA SHEET

According to EC Regulation 1907/2006/EC - revision 2020/878

Revision No. 1.1

Print Date 04/04/2023

Creation Date 19/12/2022

Revision Date 19/12/2022

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Product name PT STRIP - MULTI
Product Code 2680G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Paint Stripper.

1.3. Details of the supplier of the safety data sheet

NCH UK & Ireland,
Arrowmere House, Bilston,
WV14 0QL
Tel (UK): 01902 510200, Tel (Ireland): 042 939 5502
E-mail address technical_uk@nch.com
Website address www.ncheurope.com

1.4. Emergency telephone number

UK - 01902 510200 (available during Office Hours)
In Republic of Ireland (available from 8am to 10pm daily): 01 809 2166

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

Acute toxicity: Category 4
Serious damage to eyes: Category 1
Skin irritation: Category 2
H302+H332 - Harmful if swallowed or if inhaled
H318 - Causes serious eye damage
H315 - Causes skin irritation

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

Contains BENZYL ALCOHOL & 2-AMINOETHANOL

Hazard pictograms



Signal word DANGER

Hazard Statements

H302+H332 - Harmful if swallowed or if inhaled
H318 - Causes serious eye damage
H315 - Causes skin irritation

Precautionary Statements

P261 - Avoid breathing vapors.
P280 - Wear protective gloves/protective clothing/eye protection.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 - Call a POISON CENTER or doctor if you feel unwell
P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor
P302+P352 - IF ON SKIN: Wash with plenty of water.
P264 - Wash skin thoroughly after handling
For industrial and institutional use only.
Keep out of reach of children.

2.3. Other hazards

No additional hazards identified.

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS**3.2 Mixture**

Chemical Name	CAS-No.	EC No.	EU - REACH reg number	Weight-%	EU - GHS/CLP Classification	Notes
BENZYL ALCOHOL	100-51-6	202-859-9	01-2119492630-38	50 - 100	Acute Tox. 4 (H302) Acute Tox. 4 (H332)	
sodium p-cumenesulphonate	15763-76-5	239-854-6	01-2119489411-37	10 - < 20	Eye Irrit. 2 (H319) (H319)	
2-AMINOETHANOL	141-43-5	205-483-3	01-2119486455-28	3 - < 5	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1B (H314) STOT SE 3 (H335)	

For any H statements mentioned in this section, see the full text in section 16.

Chemical Name	EU - CLP (1272/2008) - Specific Concentration Limits
2-AMINOETHANOL	H335 C>=5%

SECTION 4. FIRST AID MEASURES**4.1. Description of first aid measures**General advice

Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mists. Get medical attention immediately if symptoms occur.

Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth with water. Do NOT induce vomiting. Get medical attention immediately.

Inhalation

Remove from the area to fresh air. Seek medical attention if respiratory irritation develops or if breathing becomes difficult.

4.2. Most important symptoms and effects, both acute and delayedSensitisation

No information available.

Eye contact

May cause burns which could lead to permanent eye damage.

Skin contact

May cause irritation as itching or redness.

Inhalation

Inhalation of mists may result in irritation to the respiratory tract. May cause headaches, dizziness, drowsiness and nausea.

4.3. Indication of any immediate medical attention and special treatment neededNotes to physician

Causes eye burns. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES**5.1. Extinguishing media**Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use: Water spray. Alcohol-resistant foam. Dry powder. Carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

combustable material: may burn but does not ignite readily.

5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.

6.2. Environmental precautions

No special environmental precautions required. Avoid release of neat product into surface water and sanitary sewage system.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Methods for Cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

Refer to sections 7, 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mists. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

No information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

If vapours, fumes or mists are generated, their concentration in the workplace area should be kept to the lowest reasonable level. For substances.

Chemical Name	European Union	The United Kingdom	France	Germany	Austria
BENZYL ALCOHOL				AGW: 5 ppm AGW: 22 mg/m ³ Spitzenbegr.: 44 mg/m ³ Spitzenbegr.: 10 ppm MAK: 22 mg/m ³ MAK: 5 ppm Bem.: DFG, Y hautresorptiv Summe aus Dampf und Aerosolen	
2-AMINOETHANOL	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ Possibility of significant uptake through the skin	STEL: 3 ppm STEL: 7.6 mg/m ³ TWA: 1 ppm TWA: 2.5 mg/m ³ Potential for skin absorption	VME: 1 ppm VME: 2.5 mg/m ³ VLCT: 3 ppm VLCT: 7.6 mg/m ³ Peau	AGW: 0.2 ppm AGW: 0.5 mg/m ³ Spitzenbegr.: 0.2 ppm Spitzenbegr.: 0.51 mg/m ³ MAK: 0.2 ppm MAK: 0.51 mg/m ³ Bem.: DFG, Y Sh hautresorptiv Summe aus Dampf und Aerosolen	STEL: 3 ppm STEL: 7.6 mg/m ³ TWA: 1 ppm TWA: 2.5 mg/m ³

Chemical Name	Spain	Portugal	Italy	The Netherlands	Switzerland
BENZYL ALCOHOL					Skin

					TWA: 5 ppm TWA: 22 mg/m ³
2-AMINOETHANOL	Skin STEL: 3 ppm STEL: 7.5 mg/m ³ TWA: 1 ppm TWA: 2.5 mg/m ³	STEL: 3 ppm STEL: 7.6 mg/m ³ TWA: 1 ppm TWA: 2.5 mg/m ³ Skin	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ Skin	Skin STEL: 7.6 mg/m ³ TWA: 2.5 mg/m ³	STEL: 4 ppm STEL: 10 mg/m ³ TWA: 2 ppm TWA: 5 mg/m ³

Chemical Name	Denmark	Finland	Norway	Sweden	Czech
BENZYL ALCOHOL		HTP (8h): 10 ppm HTP (8h): 45 mg/m ³			PEL: 40mg/m ³ NPK-P: 80mg/m ³
2-AMINOETHANOL	TWA: 1 ppm TWA: 2.5 mg/m ³ Hud	HTP (8h): 1 ppm HTP (8h): 2.5 mg/m ³ HTP (15min): 3 ppm HTP (15min): 7.6 mg/m ³ lho	TWA: 1 ppm TWA: 2.5 mg/m ³ Hud	NGV : 1 ppm 2.5 mg/m ³ KGV : 3 ppm 7.5 mg/m ³	PEL: 2.5mg/m ³ NPK-P: 7.5mg/m ³

Chemical Name	Poland	Ireland
BENZYL ALCOHOL	NDS: 240 mg/m ³	
2-AMINOETHANOL	NDSch: 7.5 mg/m ³ NDS: 2.5 mg/m ³	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³ Skin

8.2. Exposure controls

Control parametres

Provide an eyewash station. Provide washing facilities.

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Use personal protection equipment as per Regulation (EU) 2016/425.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Conforming to EN 14387 (organic vapours).

Hand Protection

Wear suitable protective gloves conforming to EN 374. Type of gloves suggested :. Short term use eg occasional contact or splash protection ;. Nitrile rubber (0.4 mm). PVC (0.7mm). Long term use eg continuous wear or immersion ;. Neoprene gloves (0.4 mm). For break through times, refer to glove manufacturer's recommendations.

Eye Protection

Safety glasses if the method of use presents the likelihood of eye contact. Approved to EN 166.

General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practise. Wash hands before before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification.

Appearance	Clear, Light yellow	Specific Gravity	1.06
Physical State	Liquid	Solubility	Partially soluble in water
Odour	aromatic	Autoignition Temperature	> 400 °C
pH	Not applicable.	Viscosity	Non viscous
Melting Point/Range	-26 °C	Explosive properties	No information available
Boiling Point/Range	> > 160 °C	Oxidizing Properties	No information available.
Flash Point	101 °C		
Method	Closed cup		
Evaporation Rate	No information available.		
Flammability Limits in Air %	No information available.		
Vapour pressure	No information available.		
Vapour Density	No information available.		

9.2. Other information

No other information available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Not considered as highly reactive. See further information below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Strong acids. Reducing agents. Alkali metals. Alkaline earth metals.

10.6. Hazardous decomposition products

None under normal storage conditions and use.

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

The product itself has not been tested.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
BENZYL ALCOHOL	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
sodium p-cumenesulphonate	> 7000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 6.41 mg/L (Rat) 232 min > 770 mg/L (Rat) 4 h
2-AMINOETHANOL	= 1720 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	> 1.3 mg/L (Rat) 6 h

Sensitisation

No information available.

Skin contact

May cause irritation as itching or redness.

Inhalation

Inhalation of mists may result in irritation to the respiratory tract. May cause headaches, dizziness, drowsiness and nausea.

Eye contact

May cause burns which could lead to permanent eye damage.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction.

STOT- single exposure

Based on available data, the classification criteria are not met

STOT- repeated exposure

Based on available data, the classification criteria are not met

Aspiration hazard

Based on available data, the classification criteria are not met

11.2 Information on Other Hazards

The product does not contain substances that have been identified as an endocrine disruptor

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Product Information

The product itself has not been tested.

Ecotoxicity effects

Contains substance(s) known to be hazardous to the aquatic environment.

Chemical Name	Toxicity to Fish	Water Flea	Toxicity to Algae
BENZYL ALCOHOL	LC50 = 10 mg/L Lepomis macrochirus 96 h LC50 = 460 mg/L Pimephales promelas 96 h	23: 48 h water flea mg/L EC50	
sodium p-cumenesulphonate			EC50 > 1000 mg/L Desmodesmus subspicatus 72 h
2-AMINOETHANOL	LC50 114 - 196 mg/L Oncorhynchus mykiss 96 h LC50 300 - 1000 mg/L Lepomis macrochirus 96 h LC50 = 227 mg/L Pimephales promelas 96 h LC50 = 3684 mg/L Brachydanio rerio 96 h	65: 48 h Daphnia magna mg/L EC50	EC50 = 15 mg/L Desmodesmus subspicatus 72 h

LC50 > 200 mg/L Oncorhynchus mykiss 96 h
--

12.2. Persistence and degradability

Ecotoxicological properties are substance specific, i.e. bioaccumulation, persistence and degradability. The information is given, where available and appropriate, for substance(s) of the mixture.

12.3. Bioaccumulative potential

Not likely to bioaccumulate. Component information below.

Chemical Name	log Pow
BENZYL ALCOHOL	1.1
2-AMINOETHANOL	-1.91

12.4. Mobility in soil

Partially soluble in water.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

12.6 Endocrine disrupting properties

The product does not contain substances that have been identified as an endocrine disruptor

12.7 Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal. Empty remaining contents. Prevent product from entering drains. Recycle according to official regulations.

EWC waste disposal No

The following EWC/ AVV waste codes may be applicable:

08 01 21* Waste paint or varnish remover

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

SECTION 14. TRANSPORT INFORMATION**14.1, 14.2, 14.3, 14.4.**

Not classified for transport as dangerous goods

14.5. Environmental hazards

The mixture is not environmentally hazardous for transport

14.6. Special precautions for user

No special precautions.

14.7 Maritime transport in bulk according to IMO instruments

Packaged product, not typically transported in IBC's

Additional information

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

SECTION 15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

The oil must not be used as engine fuel. . .

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this mixture by the supplier

SECTION 16. OTHER INFORMATION**Text of H statements mentioned in Section 3**

H302 - Harmful if swallowed. H332 - Harmful if inhaled. H319 - Causes serious eye irritation. H314 - Causes severe skin burns and eye damage. H312 - Harmful in contact with skin. H335 - May cause respiratory irritation.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Additivity method. H302+H332 - Harmful if swallowed or if inhaled. Calculation method. H318 - Causes serious eye damage. H315 - Causes skin irritation.

Prepared By JD

Creation Date 19/12/2022

Revision Date 19/12/2022

Revision summary

Initial release

Abbreviations

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungsklasse (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

Further Information

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature literature sources e.g. IUCLID / RTECS

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet